

# Minimal distance

## Problem code: HS09MIN

Matt and Filip love to ride a bike. Matt is currently riding west to east at constant speed  $V_M$  [m/s], and Filip is riding south to north at constant speed  $V_F$  [m/s]. Both of them started riding at the same time, when Matt was  $D_M$  [m] before a crossroads and Filip was  $D_F$  [m] past the same crossroads. Calculate the smallest distance at which Matt and Filip will be from each other during their ride.

Picture

## Input

In  $N(2 \leq N \leq 60\,000)$  lines of standard input there are four integer values  $V_M, D_M, V_F, D_F$  ( $2 \leq V_M, D_M, V_F, D_F \leq 100\,000\,000$ ) separated by spaces. In line  $N+1$  there are four zeros separated by spaces. Do not process this test case.

## Output

Write out  $N$  lines to standard output. For each test case, write the minimal distance between Matt and Filip in a separate line. Preserve the order of lines from the input. The relative error of your result shouldn't exceed 0.000001

## Example

### Input :

```
17 286 34 139
12 130 9 107
31 309 22 74
38 192 26 73
29 50 27 118
0 0 0 0
```

### Output :

```
317.96887163.6239.180354168.66674128.156155
```

## Scoring

For solving this problem you will score 10 points.

---

Added by: Adam Dzedzej

Date: 2009-10-17

Time limit: 1s

Source  
limit: 50000B

Languages: SED C99 strict C++ 4.0.0-8 C++ 4.3.2 TCL SCALA NICE NEM BASH PHP SCM guile  
LISP sbcl LISP clisp ERL TECS TEXT DOC PDF PS PERL 6 JS

Resource: High School Programming League (thanks to Talent Association)